

## Sterile SatPax® 550

### Sterile Pre-wetted 100% Meltblown Polypropylene Cleanroom Wiper

Sterile SatPax® 550 wipers are composed of exceptionally clean 100% meltblown polypropylene pre-wetted with 70% IPA and 30% DI water.

This pre-wetted format provides a cost effective and easy to use solution versus traditional bulk handling of solvents, maintenance of squirt bottles and inconsistent wetting and cleaning associated with wetting a dry wiper.

Each package is gamma irradiated sterile to a 10<sup>-6</sup> Sterility Assurance Level making the product ideal for cleaning critical sterile processing environments.



#### Key Attributes

- 100% meltblown polypropylene
- No chemical binders in base material
- Pre-wetted with consistent 70% IPA/ 30% DI Water
- Re-sealable solvent resistant packaging
- Wipers in c-folded configuration for single withdrawal
- Gamma irradiated and sterile validated to a 10<sup>-6</sup> Sterility Assurance Level per AAMI guidelines
- Certificate of Sterility with each case and available on the web by lot number 24/7. Details: Expiration Date, Radiation Dosage, Lot Information, Meets cGMP requirements for traceability

#### Benefits

- Very low extractables and ions
- Very low particle and fiber counts
- Reduces alcohol usage and preparation / handling costs
- Reduces VOC emissions
- Increases cleaning efficiency
- Increases cleaning protocol consistency

#### Other Sterile Pre-wetted wipers

- Sterile SatPax® 670
- Sterile SatPax® 1200
- Sterile SatPax® MicroSeal® WFI

#### Environmental

- Reduces VOC (Volatile Organic Compound) emissions
- Complies with RoHS and pre-registered under REACH

#### Applications

- Designed for use in ISO Class 5 and higher sterile cleanroom environments
- Designed for use in wet cleaning of critical surfaces where control of flammable solvents and flammable solvent concentrations is required
- Final cleaning of surfaces or products prior to manufacturing or packaging

#### Saturation Levels

The amount of solution contained in each wiper can be varied according to customer requirements. Higher saturation levels apply more solution to the surface during cleaning.

#### Validated Sterile

ANSI/AAMI/ISO procedures have been followed for verification of irradiation dose with audits being performed to monitor bioburden levels and dose. The Sterility Assurance Level (SAL) or the probability of a viable organism being present on a product unit after sterilization is a SAL of 10<sup>-6</sup> (which is the chance of 1 non-sterile unit in 1,000,000).

[www.berkshire.com.sg](http://www.berkshire.com.sg)

Contact: Tel 65.6252.4313 / Fax:

65.6252.4312

Email: [enquiries@berkshire.com.sg](mailto:enquiries@berkshire.com.sg)

Americas	Tel 1 413 528 2602	Fax 1 413 528 2614	<a href="mailto:info@berkshire.com">info@berkshire.com</a>
Europe	Tel 44 (0) 870 757 2877	Fax 44 (0) 870 757 2878	<a href="mailto:enquiries@berkshire.uk.com">enquiries@berkshire.uk.com</a>
SE Asia	Tel 65 6252 4313	Fax 65 6252 4312	<a href="mailto:enquiries@berkshire.com.sg">enquiries@berkshire.com.sg</a>
Japan	Tel 81 3 5827 2380	Fax 81 3 5827 2382	<a href="mailto:master@berkshire.co.jp">master@berkshire.co.jp</a>

## Technical Data (In Dry State)

Attribute		Units	Value	Test Method
Basis Weight		g/m <sup>2</sup>	37.3	TAPPI T-410
Caliper		µm	199	TAPPI T-411
Fibers	≥100µm	fibers/cm <sup>2</sup>	0.36	IEST-RP.CC004.3, Sec 6.1.3 / Sec 6.2.2
Particles	≥0.5µm	x10 <sup>3</sup> /cm <sup>2</sup>	1.5	IEST-RP.CC004.3, Sec 6.1.3 / Sec 6.2.1
Sorbency	Capacity	mL/m <sup>2</sup>	213*	IEST-RP.CC004.3, Sec 8.1 modified / Sec 8.2 modified
	Efficiency	mL/g	5.7*	
	Rate	seconds	10*	
Non-Volatile Residue	DI Water	g/m <sup>2</sup>	0.0012	IEST-RP.CC004.3, Sec 7.1.2
	IPA	g/m <sup>2</sup>	0.00050	
Ions	Na <sup>+</sup>	ppm	5.3	IEST-RP.CC004.3, Sec 7.2.2
	K <sup>+</sup>	ppm	0.19	
	Ca <sup>++</sup>	ppm	0.33	
	Mg <sup>++</sup>	ppm	0.14	
	Cl <sup>-</sup>	ppm	2.7	

### Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request
- \*Sorbency Capacity, Efficiency, and Rate are performed with 70% IPA

### Order Information:

Product	Number	Size	Shts/pk	Pks/cs	IPA/DI	VOC % by	Style
Sterile SatPax® 550	SSP55000424	9x11" (23x28cm)	50	24	70/30	48%	C-fold
Sterile SatPax® 550	SSP55000524	7x11" (18x28cm)	50	24	70/30	48%	C-fold

## Other Berkshire Products




Wipers



Glove Liners



Mop Systems



Documentation Systems



Face Masks



Swabs

[www.berkshire.com.sg](http://www.berkshire.com.sg)

Contact: Tel 65.6252.4313 / Fax: 65.6252.4312

Email: [enquiries@berkshire.com.sg](mailto:enquiries@berkshire.com.sg)